

MEDICAL DEVICES CATALOGUE

S.no	Image	Devices
1		Health Monitor
2		Thermometer
3		Body Analyser
4		Stethoscope
5		Spirometer
6		BP Monitor
7		ECG Monitor
8		Digital Microscope
9		Digital Otoscope
10		Digital Blood Glucometer
11		Pulse oximeter
12		Fetal Heart Monitor
13		Digital Haemoglobinometer
14		Fundus Camera
15		Biothesiometer
16		KFT Analyser
17		Lipid Analyser

1. Multivital Health Monitor



TECHNICAL FEATURES:

- Connectivity : Bluetooth
- Battery : Chargable USB2.0
- Display : Mobile Application
- Other : Power on/off Button
- Certification : FDA,CE, ISO,CDSCO

2. Infrared Thermometer

TECHNICAL FEATURES:

- Display : LCD Screen Display
- Battery Type : 2*AAA Batteries (included)
- Mode : Dual Mode (Person & Object)
- Conversion : Switch Between °F &°C
- Response Time : 3000 Milliseconds
- Other : Power On/Off Button
- Certification : FDA, CE



3. Body Analyser



TECHNICAL FEATURES:

- Connectivity : Bluetooth
- Battery : 3*AAA batteries
- Material : Tempered Glass
- Display Type : LCD
- other : Automatic Power On/Off
- Parameters : 15 Body compositions
- Certification : CE


4. Digital Stethoscope

TECHNICAL FEATURES:

- Connectivity : USB
- Display : Mobile Application
- Battery Type : Rechargeable
- USB Type : Type-C
- AUX : 3.5mm Aux
- Certification : CDSCO



5. Spirometer



TECHNICAL FEATURES:

Connectivity : Bluetooth
Display : Mobile Application
Battery : 2*AAA Batteries (included)
Other : Automatic Power On/Off
Certification : CE

6. BP Monitor

TECHNICAL FEATURES:

Connectivity : Bluetooth
Battery : 4*AAA batteries
Display : LCD
Other : Automatic Power On/Off
Certification : CE



7. 12-Lead ECG Monitor



TECHNICAL FEATURES:

Connectivity : Bluetooth
Display : Mobile Application
Report : Digital and paper ECG
Other : Power On/Off
Certification : CDSCO, ISO, AIMED, UL


8. Digital Microscope

TECHNICAL FEATURES:

Connectivity : USB, USB 2.0, Type-C
Display : Mobile Application/PC/Tab
Zoom : 1600x Zoom
Light Source : LED
Other : Automatic Power On/Off
Certification : CE



9. Digital Otoscope



TECHNICAL FEATURES:

Item Type	: Visual Earpick
Connectivity	: USB, USB 2.0, Type-C
Display	: Mobile Application
Light Source	: LED
Other	: Automatic Power On/Off
Certification	: CE

10. Digital Glucometer

TECHNICAL FEATURES:

Connectivity	: Bluetooth
Display	: Digital
Measuring Source	: Strip
Reading Time	: 5s
Battery	: 2*AAA Batteries
Sample Quantity	: 0.6 μ L
Certification	: FDA, CE



11. Pulse oximeter



TECHNICAL FEATURES:

Connectivity	: Bluetooth
Battery Type	: 2*AA
Display	: Digital
Other	: Automatic Power On/Off
Certification	: ISO, CE

12. Fetal Heart Monitor

TECHNICAL FEATURES:

Display	: Digital
Battery	: 2* 1.5v alkaline battery
Frequency	: 3.0mhz
Range	: 50-230bpm(± 2 bpm)
Other	: Power On/Off
Certification	: FDA, CE



13. Digital Haemoglobinometer



TECHNICAL FEATURES:

Connectivity	: Bluetooth
Measuring Source	: Strip
Measuring Range	: 2 to 21 g/dl
Response Time	: 60s
Sample Quantity	: 8µl
Battery Type	: 3.6v Rechargeable
Certification	: ISO, CE

14. Fundus Camera

TECHNICAL FEATURES:

Imaging Modalities	: Mydriatic and Non-Mydriatic
Light Source	: LED
Dioptrre Correction	: -30D to +30D
Focal Adjustment	: Manual
Field View	: 40 Degree
Battery	: Up to 7 hrs in non-mydriatic mode Up to 3 hrs in mydriatic mode
Capture Mode	: Manual/Auto
Certification	: FDA, ISO, CE



15. Biothesiometer



TECHNICAL FEATURES:

Connectivity	: Bluetooth
Charging Time	: up to 5 hours
Power and Battery	: 3.5mm Audio Jack
Probe	: 12mm Diameter
Vibration Stimulus	: Trinder Method
Other	: Manual Power On/Off
Certification	: ISO, CE



16. Kft Analyser

TECHNICAL FEATURES:

Methodology	: Reflectance Photometer
Specimen	: Whole Blood
Power Source	: 1200 mAh built-in lithium
Battery	
Unit	: mmol/L mg/dL
Memory	: up to 500 records
Other	: Manual Power On/Off



17. Lipid Analyser



TECHNICAL FEATURES:

Method	: Trinder Method
Measuring Source	: Strip
Test Time	: Approx 2 mins
Blood Sample	: 15 μ L
Total Cholesterol Range	: 100-400 mg/dL
HDL Cholesterol Range	: 25-85 mg/dL
Triglycerides Range	: 50-450 mg/dL
Certification	: ISO,TUV,SUD



G-110, Sita Sadan, P.C. Colony,
Near Manju Sinha Park,
Kankarbagh, Patna-800 020



7880003838



info@clinicwala.com



www.ClinicWala.com